


## Description: 2x2 MIMO LTE FPC ANTENNA

Series: Gemini

PART NUMBER: W6112B0100




### Features:

- 2G / 3G / 4G
- Global LTE Bands:
  - B1-B23, B25-B29, B33-B42
  - N.A.; Europe, Asia (incl. Jap.)
- Single device
  - Guaranteed Port-to-Port Isolation
- Foldable for tight spaces

### Applications:

- Challenging RF Environments Demanding:
  - Highest Peak Gain
  - Lowest ECC (Envelope Correlation Coeff.).
- Matched to Radio Modules from:
  - Sierra Wireless, Telit, Huawei, Gemalto, uBlox, ZTE, and others.
- Security, Video, Graphics
- IoT, SmartGrid, Meters, Remote Monitoring, Sensor Networks
- Transportation, Tracking



All dimensions are in mm / inches

Issue: 1616

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.

For more information:

Pulse Worldwide Headquarters  
12220 World Trade Drive  
San Diego, CA 92128  
USA  
Tel: 1-858-674-8100

Pulse/Larsen Antennas  
18110 SE 34<sup>th</sup> St Bldg 2 Suite 250  
Vancouver, WA 98683  
USA  
Tel: 1-360-944-7551

Europe Headquarters  
Pulse GmbH & Co, KG  
Zeppelinstrasse 15  
Herrenberg, Germany  
Tel: 49 7032 7806 0

Pulse (Suzhou) Wireless Products Co, Inc.  
99 Huo Ju Road (#29 Bldg, 4<sup>th</sup> Phase  
Suzhou New District  
Jiangsu Province, Suzhou 215009 PR China  
Tel: 86 512 6807 9998



## Description: 2x2 MIMO LTE FPC ANTENNA

Series: Gemini

PART NUMBER: W6112B0100

## ELECTRICAL SPECIFICATIONS

|                                                                           |                                                                       |
|---------------------------------------------------------------------------|-----------------------------------------------------------------------|
| Frequency                                                                 | 698-960/1427.9-1510.9/1559-1610/<br>1695-2200/2300-2700/3400-3600 MHz |
| Nominal Impedance                                                         | 50Ω                                                                   |
| Return loss(698-960MHz)                                                   | -6dB                                                                  |
| Return loss(1427.9-1510.9/1559-1610/<br>1695-2200/2300-2700/3400-3600MHz) | -7.5dB                                                                |
| Isolation(698-960MHz)                                                     | -10dB                                                                 |
| Isolation(1427.9-1510.9/1559-1610/<br>1695-2200/2300-2700/3400-3600MHz)   | -13dB                                                                 |
| Average Total Efficiency (698-960MHz)                                     | 55%                                                                   |
| Average Total Efficiency (1427.9-1510.9MHz)                               | 60%                                                                   |
| Average Total Efficiency (1559-1610MHz)                                   | 60%                                                                   |
| Average Total Efficiency (1695-2200MHz)                                   | 65%                                                                   |
| Average Total Efficiency (2300-2700MHz)                                   | 70%                                                                   |
| Average Total Efficiency (3400-3600MHz)                                   | 65%                                                                   |

Issue: 1616

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.

## Description: 2x2 MIMO LTE FPC ANTENNA

Series: Gemini

PART NUMBER: W6112B0100

## ELECTRICAL SPECIFICATIONS

|                              |                                      |
|------------------------------|--------------------------------------|
| Peak Gain (698-960MHz)       | 4.3dBi                               |
| Peak Gain (1427.9-1510.9MHz) | 3.4dBi                               |
| Peak Gain (1559-1610MHz)     | 2.4dBi                               |
| Peak Gain (1695-2200MHz)     | 4.1dBi                               |
| Peak Gain (2300-2700MHz)     | 4.6dBi                               |
| Peak Gain (3400-3600MHz)     | 4.0dBi                               |
| Radiation Pattern            | Omni                                 |
| Polarization                 | Linear                               |
| Power withstanding           | 3W                                   |
| Connector type               | IPEX 20278-112R-13                   |
| Cable type                   | Low loss $\Phi$ 1.13mm Coaxial Cable |
| Cable length                 | 100mm                                |

(\*) All RF parameters measured on 2mm thick PC plate

**Description: 2x2 MIMO LTE FPC ANTENNA****Series: Gemini****PART NUMBER: W6112B0100****MECHANICAL SPECIFICATIONS**

|                |                          |
|----------------|--------------------------|
| Color          | Black                    |
| Weight         | 2.9 g                    |
| Overall Length | 8.835 INCHES             |
| Fixing system  | Adhesive Tape, 3M6677 PC |

**ENVIRONMENTAL SPECIFICATIONS**

|                       |           |
|-----------------------|-----------|
| Operating temperature | -40~85° C |
|-----------------------|-----------|

Issue: 1616

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION


This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.

Description: 2x2 MIMO LTE FPC ANTENNA


Series: Gemini

PART NUMBER: W6112B0100

MECHANICAL DRAWING



Connector Direction  
Connector type:  
IPEX 20278-112R-13 or equivalent



Issue: 1616

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.

Description: 2x2 MIMO LTE FPC ANTENNA

Series: Gemini

PART NUMBER: W6112B0100

CHARTS

Return Loss



Issue: 1616

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.


## Description: 2x2 MIMO LTE FPC ANTENNA

Series: Gemini

PART NUMBER: W6112B0100

### CHARTS

#### Isolation



Issue: 1616

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.

## Description: 2x2 MIMO LTE FPC ANTENNA

Series: Gemini

PART NUMBER: W6112B0100

### CHARTS

#### Efficiency(%)

Total Efficiency in free space, %



Issue: 1616

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.




**Description: 2x2 MIMO LTE FPC ANTENNA**

**Series: Gemini**

**PART NUMBER: W6112B0100**

**CHARTS**

**Peak Gain(dBi)**



Issue: 1616

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.


**Description: 2x2 MIMO LTE FPC ANTENNA**

**Series: Gemini**

**PART NUMBER: W6112B0100**

**CHARTS**

**Average Gain(dBi)**



Issue: 1616

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.

**Description: 2x2 MIMO LTE FPC ANTENNA**


**Series: Gemini**

**PART NUMBER: W6112B0100**

**CHARTS**

**ECC**

ECC in free space, uniform pdf, XPR=0dB



Issue: 1616

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.


## Description: 2x2 MIMO LTE FPC ANTENNA

Series: Gemini

PART NUMBER: W6112B0100

### CHARTS

Typical free space radiation pattern  
698-960MHz  
(800MHz)



Issue: 1616

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.


## Description: 2x2 MIMO LTE FPC ANTENNA

Series: Gemini

PART NUMBER: W6112B0100

### CHARTS

Typical free space radiation pattern  
1427.9-1510.9MHz  
(1450MHz)



Issue: 1616

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.


## Description: 2x2 MIMO LTE FPC ANTENNA

Series: Gemini

PART NUMBER: W6112B0100

### CHARTS

Typical free space radiation pattern  
1559-1610MHz  
(1570MHz)



Issue: 1616

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.

## Description: 2x2 MIMO LTE FPC ANTENNA


Series: Gemini

PART NUMBER: W6112B0100


### CHARTS

Typical free space radiation pattern  
1695-2200MHz  
(1930MHz)


Vertical plane, phi0



Vertical plane, phi90



Horizontal plane



Issue: 1616

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.

## Description: 2x2 MIMO LTE FPC ANTENNA


Series: Gemini

PART NUMBER: W6112B0100


### CHARTS

Typical free space radiation pattern  
2300-2700MHz  
(2390MHz)


Vertical plane, phi0



Vertical plane, phi90



Horizontal plane



Issue: 1616

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.




## Description: 2x2 MIMO LTE FPC ANTENNA

Series: Gemini

PART NUMBER: W6112B0100

### CHARTS

Typical free space radiation pattern  
3400-3600MHz  
(3400MHz)



Issue: 1616

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.